



Soils Map



Soils data provided by USDA and NRCS.



State: **Ohio**
 County: **Pickaway**
 Location: **8-10N-21W**
 Township: **Pickaway**
 Acres: **182.8**
 Date: **5/30/2025**

SCHRADER
 Real Estate and Auction Company, Inc.

Maps Provided By:
surety
 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Area Symbol: OH129, Soil Area Version: 25

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Corn Bu	Corn silage Tons	Grass legume hay Tons	Oats Bu	Pasture AUM	Soybeans Bu	Tall fescue AUM	Tobacco Lbs	Wheat Bu	Winter wheat Bu	*eFOTG PI
MkB	Miamian-Kendallville silt loams, 2 to 6 percent slopes	37.61	20.6%		Ile	107		4.5	80	8.5	35				42	74
WbA	Warsaw loam, 0 to 2 percent slopes	30.25	16.5%		Ils	115		4.3	75		35	6.6			46	74
Gn	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	22.14	12.1%		Ilw	124		4	79	4	43	8	3900	41	33	71
Rs	Ross loam, 0 to 2 percent slopes, occasionally flooded	20.36	11.1%		Illw	153		5.1		9.5	51				59	92
WbB	Warsaw loam, 2 to 6 percent slopes	11.33	6.2%		Ile	110		4.2			35	6.6			46	71

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Corn Bu	Corn silage Tons	Grass legume hay Tons	Oats Bu	Pasture AUM	Soybeans Bu	Tall fescue AUM	Tobacco Lbs	Wheat Bu	Winter wheat Bu	*eFOTG PI
MfC2	Miamian silt loam, 6 to 12 percent slopes, eroded	9.96	5.4%		IIle											70
WeA	Wea silt loam, 0 to 2 percent slopes	9.32	5.1%		Is	144		4.8		9.5	50				58	81
MkC2	Miamian-Kendallville silt loams, 6 to 12 percent slopes, eroded	7.68	4.2%		IIle	102		4	70	8	31				40	67
St	Stonelick sandy loam	5.97	3.3%		IIw	80		3.5			28					60
Ag	Algiers silt loam	5.18	2.8%		IIw	125		4.5	80		40				45	65
Ee	Eel silt loam, occasionally flooded	4.90	2.7%		IIw	110		3.8			37	7		41		71
EIB	Eldean loam, 2 to 6 percent slopes	4.44	2.4%		Ile	104		3.4		6.9	36				42	68
Ws	Westland silty clay loam, Southern Ohio Till Plain, 0 to 2 percent slopes	2.86	1.6%		IIw	142		5		12	46				53	83
EIA	Eldean loam, 0 to 2 percent slopes	2.71	1.5%		Ils	115.3		4		6.6	37.3				48.7	71
CoB	Corwin silt loam, 2 to 6 percent slopes	2.40	1.3%		Ile	120		4	80		42	8			54	79
CgC	Casco gravelly loam, 6 to 12 percent slopes	1.85	1.0%		IVe	75	14	3	60							51
CkD	Casco-Rodman gravelly loams, 12 to 18 percent slopes	1.75	1.0%		Ve			2.4								40
RoC	Rodman gravelly sandy loam, 4 to 12 percent slopes	1.75	1.0%		IVs			0.7				0.4				15

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Corn Bu	Corn silage Tons	Grass legume hay Tons	Oats Bu	Pasture AUM	Soybeans Bu	Tall fescue AUM	Tobacco Lbs	Wheat Bu	Winter wheat Bu	*eFOTG PI
EpB	Eldean-Kendallville loams, 2 to 6 percent slopes	0.23	0.1%		Ile	104		4.2	75		35		2600		42	70
CIA	Celina silt loam, 0 to 2 percent slopes	0.11	0.1%		Iw	121		4.6		8.1	42				53	79
Weighted Average					2.22	109.6	0.1	4	45.4	4.6	35.7	2.8	475.6	6.1	39	73.4

*eftog PI: Obtained from the NRCS eFOTG (<http://efotg.sc.egov.usda.gov>)